Specifications

Drawing No.	K1101-13745-372 1/11
Issued Date.	Jan,23,2014

TO:	Digi-Key	

Note: In case of specification change, KYOCERA Part Number also will be changed.

Product Name	Quartz Crystal			
Product Model	CX2016DB			
Frequency	Refer to K1101-13745-372 3/11 Nominal Frequency			
Customer Part Number	-			
Customer Specification Number	-			
KYOCERA Part Number	Refer to K1101-13745-372 3/12 KYOCERA Part Number			
Remarks Pb-Free, RoHS Compliant, MSL 1				

Customer Acceptance

Accept Signature	Approved Date	
	Department	
	Person in charge	

Seller Manufacturer

KYOCERA Crystal Device Corporation

6 Takeda Tobadono-cho, Fushimi-ku, Kyoto 5850, Higashine-Koh, Higashine-Shi, Yamagata 612-8501 Japan 999-3701 Japan

TEL. No. 075-604-3500 TEL. No. 0237-43-5611 FAX. No. 075-604-3501 FAX. No. 0237-43-5615

Design Department	Quality Assurance	Approved by	Checked by	Issued by
KYOCERA Crystal Device Corporation Crystal Units Engineering Section Crystal Units Division	A. Kikuchi	Y.Takahashi	T. Nitoube	Y. Kikuchi

Revision History

Rev.No.	Description of revise	Date	Approved by	Checked by	Issued by
1	First Edition	Jul,29,2013	Y.Takahashi	T. Nitoube	Y. Kikuchi
2	•Frequency Addition. 16000kHz, 20000kHz	Jan,23,2014	Y.Takahashi	T. Nitoube	Y. Kikuchi

Drawing No.	K1101-13745-372	3/11	
-------------	-----------------	------	--

[PART NUMBER LIST]

	Nominal Frequency (MHz)		ESR	Nominal
		KYOCERA Part Number		Frequency
	(IVII IZ)		(Ω)	Code
Δ	16.000	CX2016DB16000D0FLJCC	200	16000
Δ	20.000	CX2016DB20000D0FLJCC	150	20000
	26.000	CX2016DB26000D0FLJCC	80	26000
	32.000	CX2016DB32000D0FLJCC	80	32000
	38.400	CX2016DB38400D0FLJCC	60	38400
	40.000	CX2016DB40000D0FLJCC	50	40000

Drawing No.	K1101-13745-372	4/11
-------------	-----------------	------

1. APPLICATION

This specification sheet is applied to quartz crystal "CX2016DB"

2. KYOCERA PART NUMBER

Refer to K1101-13745-372 3/11 KYOCERA Part Number

3. RATINGS

Items	SYMB.	Rating	Unit	Remarks
Operating Temperature	Topr	-30 to +85	°C	
Storage Temperature range	Tstg	-40 to +85	°C	


4. CHARACTERISTICS ELECTRICAL CHARACTERISTICS

LLLCTRICA		701 LINE	71100				
Items		Electrical Specification				Test Condition	Remarks
	SYMB.	Min	Тур.	Max	Unit		
Mode of Vibration		F	undament	tal			
Nominal Frequency	F0		※ 1		MHz		
Nominal Temperature	T _{NOM}		25		°C		
Load Capacitance	CL		8.0		pF		
Frequency Tolerance	df/F	-10.0		+10.0		+25±3°C	
Frequency Temperature characteristics	df/F	-15.0		+15.0	PPM	-30 to +85°C	
Frequency Ageing Rate		-1.0		+1.0		1 year	+25±3°C
Equivalent Series Resistance	ESR			% 2	Ω		
Drive Level	Pd	0.01		100	μW		
Insulation Resistance	IR	500			ΜΩ	100V(DC)	

[%]1 Refer to K1101-13745-372 3/11 Nominal Frequency

^{%2} Refer to K1101-13745-372 3/11 ESR

5. APPEARANCES, PHYSICAL DIMENSION OUTLINE DIMENSION (not to scale)



#4 MARKING

- 1 Nominal Frequency Move the number of maximum indication beams of the frequency to five digits, and omit less than kHz.
- 2 Identification [K] mark is surely 1Pin direction.
- 3 Date Code Year…LAST 1 DIGIT of YEAR AND WEEK

(Ex)Jan,01, 2014 \rightarrow 401

4 Manufacturing Location Y···Yamagata

Z···Shiga Yohkaichi

T···Thailand

F···Philippines


%3 Refer to K1101-3745-372 3/11 Nominal Frequency Code The font of marking is reference.

#3

KYOCERA Crystal Device Corporation

Drawing No. K1101-13745-372 6/11


6. RECOMMENDED LAND PATTERN (not to scale)




UNIT: mm

7. TAPING&REEL

7-1.Dimensions



7-2.Leader and trailer tape




7-3.Direction (The direction shall be seen from the top cover tape side)





7-4. Specification

- 1. Material of the carrier tape shall be polystyrene or A-PET (ESD).
- 2. Material of the seal tape shall be polyester (ESD).
- 3. The seal tape shall not cover the sprocket holes. And not protrude from the carrier tape.
- 4. Tensile strength of the tape: 10N or more.
- 5. The R of the corner without designation is 0.2RMAX.
- 6. The alignment between centers of the cavity and sprocket hole shall be 0.05mm or less.
- 7. Cumulative pitch tolerance of "P $_0$ " shall be ± 0.2 mm at 10 pitches.
- 8. Suppose that it unifies as shown in the above-mentioned figure to the directivity of printing in an embossing tape.
- 9. Peeling force of the seal tape: 0.1 to 1.0N.
- 10. The component can fall headlong naturally from taping in the environment, such dry conditions, when this components were transferred to, cover was removed and the component was moved upside down.



7-5.Reel Specification





In the case of φ 180 Reel (3,000 pcs max, every 1,000 pcs)

Symbol	Α	В	С	D
Dimension	φ180 +0/-3	φ60 +1/-0	φ13±0.2	φ21±0.8
Symbol	E	W	t	
Dimension	2.0±0.5	9±1	2.0±0.5	

(Unit: mm)

In the case of $\phi 330$ Reel (12,000 pcs max, every 1,000 pcs)

Symbol	A	В	С	D
Dimension	φ330±2.0	φ100±1.0	φ13±0.2	φ21±0.8
Symbol	E	W	t	
Dimension	2.0±0.5	9.5±0.5	2.2±0.1	

(Unit: mm)

Drawing No. K1101-13745-372 9/11

8. Enviromental requirements

After following test, frequency shall not change more than $\pm 10 \times 10^{-6}$ And CI, $\pm 20\%$ or 5Ω of large value.

8.1 Resistance to Shock Test condition

Natural dropped from height 100cm onto hard wood

board in 3 times

8.2 Resistance to Vibration Test condition

frequency : 10 - 55 - 10 Hz

Amplitude : 1.5mm

Cycle time : 15 minutes

Direction : X,Y,Z (3direction),2 h each.

8.3 Resistance to Heat Test condition

The quartz crystal unit shall be stored at a temperature of +85 \pm 2°C for 500 h.

Then it shal be subjected to standard atmospheric conditions for 1 h ,after whichi measurement shall

be made.

8.4 Resistance to Cold Test condition

The quartz crystal unit shall be stored at a

temperature of -40 \pm 2°C for 500 h.

Then it shal be subjected to standard atmospheric conditions for 1 h ,after whichi measurement shall

be made.

8.5 Thermal Shock Test condition

The quartz crystal unit shall be subjected to 500 succesive change of temperature cycles, each as shown in table below, Then it shall be subjected to standard atmospheric conditions for 1h, after which measurements shall be made.

Cycle : $-40\pm2^{\circ}$ C (30min.) to $+25\pm2^{\circ}$ C (5min.)

to +85 \pm 2°C (30min.) to +25 \pm 2°C (5min.)

Drawing No. K1101-

K1101-13745-372 10/11

8.6 Resistance to Moisture

Test condition

The quartz crystal unit shall be stored at a temperature of $+60\pm2^{\circ}\text{C}$ wich relative humidity of 90% to 95% for 240 h. Then it shall be subjected to standard atmospheric conditions for 1h, after which measurements shall be made

8.7 Soldering condition

1.) Material of solder

Kind \cdots lead free solder paste Melting point \cdots +220 \pm 5°C

2.) Reflow temp.profile


	Temp [°C]	Time[sec]
Preheating	+150 to +180	150 (typ.)
Peak	+260±5	10 (max.)
Total	_	300 (max.)

Frequency shift : ±2ppm

3.) Hand Soldering +350°C 3 sec MAX

4.) Reflow Times 2 times


Reflow temp.profile



8.8 Intensity for bending in circuit board

Solder this product in center of the circuit board of $40 \text{mm} \times 100 \text{mm}$, and add the deflection of 3mm as the bottom figure.

Test board: t=1.6mm



UNIT: mm

|--|

9. Cautions for use

(1) Automatic mounting machine use

Please use after affirmation that select the mounting machine model with a shock small if possible in the case of use of an automatic mounting machine, and it does not have breakage. There is a risk of a crystal oscillating child's breakage occurring and not functioning normally by too much shock etc.

(2) Conformity of a circuit

In case of use of an oscillation circuit, please insert in a crystal oscillating child in series resistance 5 times as many as the standard value of equivalent in-series resistance, and confirm oscillating. Please remove resistance which inserted after the notes above-mentioned examination in the crystal oscillating child in series, and use it.

10.Storage conditions

Storage at prolonged high temperature or low temperature and the storage by high humidity cause degradation of frequency accuracy, and degradation of soldering nature. Storage is performed at the temperature of +18 to +30°C, and the humidity of 20 to 70 % in the state of packing, and a term is 6 months.

11. Manufacturing location

Kyocera Crystal Device Corporation

Kyocera Crystal Device Corporation Shiga Yohkaichi Plant

Kyocera Crystal Device (Thailand) Co., Ltd

Kyocera Crystal Device Philippines, Inc.

12. Quality Assurance

Kyocera Crystal Device Quality Assurance Division

13. Quality guarantee

When the failure by the responsibility of our company occurs clearly after delivery within 1 year, a substitute article etc. is appropriated gratuitously and this is guaranteed. However, when passing 1 year after delivery, there is a case where I am allowed to consider as onerous repair after both consultation.

14. Others

When any questions and opinions are in the written matter of these delivery specifications, I will ask connection of you from the company issue day within 45 days. In a connection no case, a written matter is consented to it and employed within a term.